



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/729,327	12/05/2003	Gary L. Swoboda	TI-34665	1142
23494	7590	06/27/2006	EXAMINER	
TEXAS INSTRUMENTS INCORPORATED P O BOX 655474, M/S 3999 DALLAS, TX 75265			WILSON, YOLANDA L	
			ART UNIT	PAPER NUMBER
			2113	

DATE MAILED: 06/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/729,327	Applicant(s) SWOBODA ET AL.	
	Examiner Yolanda L. Wilson	Art Unit 2113	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 December 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,6-11 is/are rejected.
- 7) ☒ Claim(s) 4 and 5 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Objections

1. Claim 3 is objected to because of the following informalities: 'data trace apparatus' should be 'a data trace apparatus'. Appropriate correction is required.
2. Claim 4 is objected to because of the following informalities: 'data trace stream' should be 'a data trace stream'. Appropriate correction is required.
3. Claim 4 is objected to because of the following informalities: 'program code flush signal' should be 'the program code flush signal'. Appropriate correction is required.
4. Claim 7 is objected to because of the following informalities: 'sync marker assembly apparatus' should be 'a sync marker assembly apparatus'. Appropriate correction is required.
5. Claim 7 is objected to because of the following informalities: 'the decoder unit generating a controls signal' should be 'the decoder unit generating a control signal'. Appropriate correction is required.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
7. Claim 1 recites the limitation "the pipeline flattener". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

Art Unit: 2113

8. Claim 3 recites the limitation "the processing activity". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

9. Claim 6 recites the limitation "indicia of the occurrence". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

10. Claim 6 recites the limitation "indicia of the relationship" in lines 13 and 16 of claim 6. There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

11. Claim 6 recites the limitation "the target processor clock". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

12. Claim 6 recites the limitation "the target processor program execution". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

13. Claim 7 recites the limitation "the stored signals". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

14. Claim 8 recites the limitation "the target processor". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

Art Unit: 2113

15. Claim 10 recites the limitation "the change". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.

16. Claim 10 recites the limitation "the pipeline flattener". There is no previous recitation of this limitation within the claim; therefore, there is insufficient antecedent basis for this limitation in the claim.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yolanda L. Wilson whose telephone number is (571) 272-3653. The examiner can normally be reached on M-F (7:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Beausoliel can be reached on (571) 272-3645. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2113

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Yolanda L Wilson
Examiner
Art Unit 2113

A handwritten signature in black ink that reads "Yolanda L. Wilson". The signature is written in a cursive, flowing style with a large initial "Y" and a long, sweeping underline.